



www.PrintronixP7000.com 1-866-430-6202



The next generation TallyGenicom 6600 line matrix printers transform product innovations into the <u>Power of Plus</u>. Seamless integration into your current workflow will enable you to reap the benefits from the improved reliability, productivity and environmental advantages.

The 6600 family is available in a choice of printing speeds, including 500, 1000, 1500 and 2000 lines per minute. All models in the 6600 family are ENERGY STAR® qualified and are fully compatible, direct replacements for earlier TallyGenicom printers. The total cost of ownership has been dramatically improved through a 30% reduction in consumable cost per page.

Together, these innovations present a compelling reason to upgrade your printing solution to the TallyGenicom 6600 family.





OPEN PEDESTAL

The 6600 Open Pedestal is the dependable workhorse line matrix printer that forms the foundation of the 6600 Series. It is presented in a small footprint with the convenience of either top tear or rear feed and can be accessorized with a front tray and two different rear trays. Like all the printers in the 6600 family, the open pedestal is ENERGY STAR qualified and is ready to plug into your network and start printing from day one.

CABINET

The 6600Q Cabinet is the quiet choice in our mission-critical line matrix printer line-up. It is perfect for those who work in noise sensitive areas and need direct access to a quiet industrial strength printer. This is the top-of-the-line printer in the 6600 family, configured in a fully enclosed sound reduction cabinet with access from the front, top and rear. Innovative options can customize the 6600Q for your printing needs.

ZERO TEAR

The 6600Z Zero Tear is the specialized line matrix printer choice for customers using multi-part and serialized documents that require single form tear-off usability. The 6600Z is the perfect choice to minimize waste of expensive forms such as pre-printed tickets. Through its unique tractor configuration, the 6600Z pushes pre-printed media through the hammer bank, eliminating waste of valuable forms.

QUIET PEDESTAL

The 6600 Quiet Pedestal comes equipped with all the built-in quality, reliability and performance of the top-of-the-line TallyGenicom 6600Q Cabinet printer, in a smaller and more compact footprint. It is the perfect line matrix printer solution for customers looking for a quiet, versatile, dependable, pedestal-style printer for use in an office with space limitations.




www.PrintronixP7000.com 1-866-430-6202



6600 Series INNOVATIONS:



THE NEW MICRO PLATEN ADJUSTER = Improved print reliability and handling for a wider variety of forms, such as multi-part, heavy, recycled and light stock.





ALL NEW SHUTTLE DESIGN = With even more reliability and higher performance than earlier models, the shuttle has been entirely re-engineered. This new design (top of photo) requires less service and improves print quality compared to the previous shuttle (shown below new shuttle).



add up to substantial gains in productivity and environmental responsibility



The TallyGenicom 6600 family is built to last for years and years, a key ecological benefit over shorter life cycle products such as laser and serial printers. Engineered with features that promote less energy consumption and generate less waste, the 6600 family of line matrix printers is environmentally responsible and provides the right printing solution for a greener world.

materials.



Reliable Connectivity, Seamless Installation and Robust Remote Printer Management



- ← CONTROL YOUR ENTIRE GLOBAL PRINTING NETWORK FROM ANYWHERE = Higher efficiency. Boost your company's productivity with the power of PrintNet Suite[™] remote printer management solutions. The PrintNet Suite is a valuable time-saving tool for your mission critical printing network.
- PLUG AND PRINT = No down time. Intellifilter™ gives you the widest possible range of emulations, configurability and tools at your disposal. Installation requires no host changes, allows for easy data stream substitutions, and is done without reprogramming. Do you have custom print job files already set up? No problem, Intellifilter works with the files you have already created.
- WEB PANEL™ = Never out of touch. Designed for single printer management, Web Panel continues the TallyGenicom tradition of offering you quick remote printer management through any web browser and requires no special installation or configuration.
- PRINTNET ENTERPRISE™ = Total control. Your worldwide print operation is at your fingertips with PrintNet Enterprise. By combining a fully integrated Ethernet adapter and Java-based software, remote printer management extends your reach from anywhere you have a computer and connectivity.
 - Configure and monitor printers
 - Be alerted to printer issues from emails, pager or mobile phone alerts
 - Complete compatibility with any TallyGenicom product when equipped with the optional Ethernet card

EXTENDED FORMS SUPPORT =

The 6600Q Cabinet can be equipped with extended doors to accommodate larger forms. A single extended door will support a form up to 14" and two doors will allow up to 17".





- LOW REAR TRAY = This output tray is ideal for larger print runs. The adjustable back bar keeps the paper aligned and neat.
 - FRONT TRAY = This tray raises the paper off the floor and allows for easy mobility of paper and printer.
- HIGH REAR TRAY = This tray works well for printers that are placed against a wall and output is limited to short runs. It also enables easy access from the front of the printer.



the Power

of



POWER STACKER = Toughest forms can be printed and neatly stacked without interruption.

An essential option for full box printing.



FRONT PAPER ACCESS = Load forms and retrieve printed output from the front of the 6600Q cabinet. This option allows you to better utilize office space by placing the printer against a wall.



ACOUSTIC SHROUD = Reduce noise on the 6600 open pedestal with this easy to install option. By reducing the sound emanating from the paper exit, the noise level can be reduced by 4dBA.

"The speed at which we produce 3000 invoices a day is the most critical element to us. I don't expect I'll have any couriers lined up anytime soon, waiting on the new printer."

Kathy MacKinnon
Procurity Inc.





"For me, it has been very easy to transition over to the new printer, especially with the ease of getting the paper out and the simplicity of the tractors. It definitely was a Plug and Print situation – out of the box and up and running in 10 minutes."

Micky Barber Rawson Inc.



The Printer Connection, Inc 1-866-430-6202 www.PrintronixP7000.com

TallyGenicom 6600 Series of Line Matrix Printers

Technical Specifications

the Power

of

Printer Features		Open 6605 Pedestal 6610 6615	Quiet 6605 Pedestal 6610 6615	Zero Tear 6605Z 6610Z 6615Z	Cabinet 6605Q 6620 6610Q 6615Q	DQ
	Standard					
Integrated Print N		•	•	•	•	
Ribbon	Life Monitor	•	•	•	•	
0 0 10 0	Options					
SureStak® Power Stacker					•	
Black back forms paper out sensor		•	•	•	•	
Rear Slide Out Paper Drawer					•	
	ront Access				•	
Pedestal Front Paper Tray		•		•		
Pedestal High Rear Paper Tray		•	•	•		
Pedestal Acoustic Shroud		•	Standard			
Acoustic (dBA) (per ISO 7779)	Vidth Jepth Shipping Weight	36"(914.4mm) 26"(660.4mm) 21.5"(546.1mm) 165 lbs (74.842kg) Not including Rear Tray 6605 - 62 6610 - 65 6615 - 68	36"(914.4mm) 26"(660.4mm) 25"(635mm) 190 lbs (86.182kg) With Accoustic Shroud 6605 - 58 6610 - 60 6615 - 63	42"(1066.8mm) 26"(660.4mm) 21.5"(546.1mm) 180 lbs (81.646kg) 6605Z - 66 6610Z - 70 6615Z - 70	40.5"(1028.7mm) 27"(685.8mm) 29"(736.6mm) 265 lbs (120.201kg) 6605Q - 50 6610Q - 50 6615Q - 52 6620Q - 55	40.5"(1028.7mm) 27"(685.8mm) 33"(838mm) 300 lbs (136kg) With SureStak Power Stacker
	hown by Printer models	00002	00102	00102		
Print Speed	ligh Speed (draft)	500/428	1000/856	1500/1289	2000/1700	
(LPM, upper case	ata Processing	375/300	750/600	1125/900	1500/1200	
characters, lower case characters)	lear Letter Quality	200/154	400/306	600/459	800/615	
· -	0 x 48 dpi	63	125	187	250	
	0 x 72 dpi	42	83	127	167	
	0 x 72 upi 0 x 96 dpi	21	83 42	61	83	
=	0 x 30 upi	21	42	DI	03	
Paper Feed Speed (Inches Per Second)		12	20	25	38.5	





Tally Geni

TallyGenicom 6600 Family of Line Matrix Printers

Character Pitch	5, 6, 6.7, 7.5, 8.3, 8.6, 10, 12, 13.3, 15, 16.7, 17.1, 20 (characters per inch)				
Line Spacing	1.5, 2, 3, 4, 5, 6, 8, 9, 10, 12 (lines per inch – plus variable line spacing)				
Graphics Resolution	180 dpi Horizontal, 144 dpi Vertical (max)				
Dot Size	16.7 mil (.42mm)				
Emulations Standard	Tally ANSI, Genicom ANSI, P5000/P600/P6000, Epson FX-1180, IBM Proprinter, MTPL (Tally Dot Matrix), PGL (TG Version), QMS Code V, Tally Industrial Graphics, PCL-3: HP-2564C, DEC LG01				
Character Sets	47 languages and 43 character sets				
Character Styles	Bold, italic, superscript, subscript, underline, overline, strike-through				
Fonts	Draft, Data Processing, Courier, Gothic, OCR A and B				
Barcodes	Code 39, Code 128, Interleaved 2 of 5, UPC-A, UPC-E, EAN 8, EAN 13, EAN 128, Codabar, MSI, PDF-417, Postnet, Intelligent Mail Barcode (IMB)				
Printer Software	TallyGenicom PrintNet Suite of Tools - remote management software suite - included with the Ethernet option				
Printer Drivers	Win 7, Vista, XP, Windows 2000, Server 2003, Server 2008, Server 2008r2, Linux, Unix, AIX, SAP				
Environmental Advantages	ENERGY STAR® qualified, lower consumable materials and packaging, improved handling of recycled paper, faster power-up from sleep mode than laser printers				
Genuine TallyGenicom Cartridge Ribbons	Standard Life 17,000 pages Extended Life* 30,000 pages *Not compatible with 500 LPM printer models				
Paper Path/Handling	Straight paper path with easy-load adjustable tractors, paper-out detection and alarm, paper-motion detection and alarm				
Paper Type	Continuous, fan folded, edge-perforation				
Print Width	13.6" (345mm)				
Media Width	3" (76mm) to 17" (432mm)				
Media Copies	Up to 6 parts				
Media Weight	15 to 100 lbs up to 0.025" thickness 56 to 163 gm/m² up to 0.64mm thickness				
MTBF*	10,000 hours at 25% duty cycle and 25% page density (*Mean Time Between Failures)				
Interfaces	Serial – RS-232 Parallel – IEEE-1284/Centronics Ethernet – PrintNet Suite 10/100 Base T (optional) Auto Switching – Between active ports				
Power Voltage	AC input range 100 - 120, 200 - 240VAC and 50/60Hz				
Power Wattage (ENERGY STAR)	Less than 14 Watts in energy saving mode				
Power Wattage (typical)	6605/6605Q/6605Z 175 Watts 6615/6615Q/6615Z 390 Watts 6610/6610Q/6610Z 260 Watts 6620Q 475 Watts				



